

The Prop 65, REACH, and RoHS Information provided below is current as of:
Note: This should reflect today's date.

9/23/2026

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (253 - 2/4/26 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
C10B	10001-19	Pneu-Trol Check Valve, Brass, 1/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
C10S	10001-44	Pneu-Trol Check Valve, Carbon Steel, 1/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
C10SS	10001-58	Pneu-Trol Check Valve, 303 Stainless Steel, 1/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
C20B	10001-25	Pneu-Trol Check Valve, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
C20S	10001-45	Pneu-Trol Check Valve, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
C20SS	10001-59	Pneu-Trol Check Valve, 303 Stainless Steel, 1/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
C25B	10001-28	Pneu-Trol Check Valve, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
C25S	10001-48	Pneu-Trol Check Valve, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
C25SS	10001-60	Pneu-Trol Check Valve, 303 Stainless Steel, 3/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
C30B	10001-30	Pneu-Trol Check Valve, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
C30S	10001-49	Pneu-Trol Check Valve, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
C30SS	10001-61	Pneu-Trol Check Valve, 303 Stainless Steel, 1/2" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
C35B	10001-34	Pneu-Trol Check Valve, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
C35S	10001-50	Pneu-Trol Check Valve, Carbon Steel, 3/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMM10B1	10116-65	In Line Check Valve, Brass, 1/8" NPTF Male, Metal To Metal Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMM20B	10004-25	In Line Check Valve, Brass, 1/4" NPTF Male, Metal To Metal Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMM20S	10004-35	In Line Check Valve, Carbon Steel, 1/4" NPTF Male, Metal To Metal Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMM20SS2	10132-37	Inline Check Valve, 303 Stainless Steel, 1/4" NPTF Male, Metal To Metal Seat, 3000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
CMM25B	10004-29	In Line Check Valve, Brass, 3/8" NPTF Male, Metal To Metal Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMM25S	10004-38	In Line Check Valve, Carbon Steel, 3/8" NPTF Male, Metal To Metal Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMM30B	10004-32	In Line Check Valve, Brass, 1/2" NPTF Male, Metal To Metal Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMM30S	10004-39	In Line Check Valve, Carbon Steel, 1/2" NPTF Male, Metal To Metal Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMMO10B1	10134-08	In Line Check Valve, Brass, 1/8" NPTF Male, Soft Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMMO20SS2	10132-38	In Line Check Valve, 303 Stainless Steel, 1/4" NPTF Male, Soft Seat, 3000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
CMMO25B	10004-04	In Line Check Valve, Brass, 3/8" NPTF Male, Soft Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMMO25S	10004-12	In Line Check Valve, Carbon Steel, 3/8" NPTF Male, Soft Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMMO25SS	10004-21	In Line Check Valve, 303 Stainless Steel, 3/8" NPTF Male, Soft Seat, 3000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
CMMQ20B	10003-99	In Line Check Valve, Brass, 1/4" NPTF Male, Soft Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMMQ20S	10004-10	In Line Check Valve, Carbon Steel, 1/4" NPTF Male, Soft Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMMQ30B	10004-05	In Line Check Valve, Brass, 1/2" NPTF Male, Soft Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
CMMQ30S	10004-14	In Line Check Valve, Carbon Steel, 1/2" NPTF Male, Soft Seat, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
CMMQ35B	10004-09	In Line Check Valve, Brass, 3/4" NPTF Male, Soft Seat, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EC20B	10120-74	Easy Read Check Valve, Ball Style Straight Design, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EC20S	10120-75	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EC20SS	10120-76	Easy Read Check Valve, Ball Style Straight Design, 303 Stainless Steel, 1/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
ECB20S	10125-76	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECB25S	10125-77	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECB30S	10125-78	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/2" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECB35S	10136-10	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECBP20S	10133-23	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/4" BSPP Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (253 - 2/4/26 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
ECBP25S	10139-00	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/8" BSPP Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECBP30S	10133-24	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/2" BSPP Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ECBP35S	10181-91	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/4" BSPP Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EDC25B	10006-35	Easy Read Check Valve, Ball Style Straight Design, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EDC25S	10006-44	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EDC25SS	10006-54	Easy Read Check Valve, Ball Style Straight Design, 303 Stainless Steel, 3/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EDC30B	10006-37	Easy Read Check Valve, Ball Style Straight Design, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EDC30S	10006-47	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EDC30SS	10006-48	Easy Read Check Valve, Ball Style Straight Design, 303 Stainless Steel, 1/2" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EDC35B	10006-40	Easy Read Check Valve, Ball Style Straight Design, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EDC35S	10006-50	Easy Read Check Valve, Ball Style Straight Design, Carbon Steel, 3/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EDC35SS	10006-55	Easy Read Check Valve, Ball Style Straight Design, 303 Stainless Steel, 3/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EF10B	10120-40	Easy Read Color Set Flow Control Valve, Brass, 1/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF10S	10120-41	Easy Read Color Set Flow Control Valve, Carbon Steel, 1/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EF10SS	10120-42	Easy Read Color Set Flow Control Valve, 303 Stainless Steel, 1/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EF20B	10120-43	Easy Read Color Set Flow Control Valve, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF20S	10120-44	Easy Read Color Set Flow Control Valve, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EF20SS	10120-45	Easy Read Color Set Flow Control Valve, 303 Stainless Steel, 1/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EF25B	10120-47	Easy Read Color Set Flow Control Valve, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF25S	10120-48	Easy Read Color Set Flow Control Valve, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EF25SS	10120-49	Easy Read Color Set Flow Control Valve, 303 Stainless Steel, 3/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EF30B	10120-51	Easy Read Color Set Flow Control Valve, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF30S	10120-52	Easy Read Color Set Flow Control Valve, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EF30SS	10120-53	Easy Read Color Set Flow Control Valve, 303 Stainless Steel, 1/2" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EF35B	10120-55	Easy Read Color Set Flow Control Valve, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF35S	10120-56	Easy Read Color Set Flow Control Valve, Carbon Steel, 3/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EF40B	10120-58	Easy Read Color Set Flow Control Valve, Bronze, 1" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EF40S	10120-59	Easy Read Color Set Flow Control Valve, Ductile Iron, 1" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EFB20B	10125-61	Easy Read Color Set Flow Control Valve, Brass, 1/4" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EFB20S	10125-62	Easy Read Color Set Flow Control Valve, Carbon Steel, 1/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EFB25B	10125-63	Easy Read Color Set Flow Control Valve, Brass, 3/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EFB25S	10125-64	Easy Read Color Set Flow Control Valve, Carbon Steel, 3/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EFB30B	10125-65	Easy Read Color Set Flow Control Valve, Brass, 1/2" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EFB30S	10125-66	Easy Read Color Set Flow Control Valve, Carbon Steel, 1/2" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EFB35S	10125-67	Easy Read Color Set Flow Control Valve, Carbon Steel, 3/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EFBP20B	10133-27	Easy Read Color Set Flow Control Valve, Brass, 1/4" BSPP Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EFBP25B	10139-10	Easy Read Color Set Flow Control Valve, Brass, 3/8" BSPP Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EFBP30B	10133-29	Easy Read Color Set Flow Control Valve, Brass, 1/2" BSPP Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN10B	10120-60	Easy Read Color Set Needle Valve, Brass, 1/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN10S	10120-61	Easy Read Color Set Needle Valve, Carbon Steel, 1/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EN20B	10120-62	Easy Read Color Set Needle Valve, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN20S	10120-63	Easy Read Color Set Needle Valve, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EN25B	10120-65	Easy Read Color Set Needle Valve, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (263 - 2/4/26 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
EN25S	10120-66	Easy Read Color Set Needle Valve, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EN30B	10120-67	Easy Read Color Set Needle Valve, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN30S	10120-68	Easy Read Color Set Needle Valve, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EN35B	10120-69	Easy Read Color Set Needle Valve, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN35S	10120-70	Easy Read Color Set Needle Valve, Carbon Steel, 3/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EN40B	10120-71	Easy Read Color Set Needle Valve, Bronze, 1" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EN40S	10120-72	Easy Read Color Set Needle Valve, Ductile Iron, 1" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
ENB10B	10125-68	Easy Read Color Set Needle Valve, Brass 1/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
ENB20B	10125-70	Easy Read Color Set Needle Valve, Brass, 1/4" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
ENB20S	10125-71	Easy Read Color Set Needle Valve, Carbon Steel, 1/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ENB25B	10125-72	Easy Read Color Set Needle Valve, Brass, 3/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
ENB25S	10125-73	Easy Read Color Set Needle Valve, Carbon Steel, 3/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
ENB30B	10136-00	Easy Read Color Set Needle Valve, Brass, 1/2" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
ENBP20B	10139-18	Easy Read Color Set Needle Valve, Brass, 1/4" BSPP Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
ENBP25B	10139-22	Easy Read Color Set Needle Valve, Brass, 3/8" BSPP Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
EV125A	10135-67	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 1/8" NPTF Female Inlet, 1/4" NPTF Female Cylinder & Exhaust, 125 Max PSI, .50 Inlet Cv, 1.0 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EV125A2	10135-70	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 1/4" NPTF Female Inlet & Cylinder & Exhaust, 125 Max PSI, .50 Inlet Cv, 1.0 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EV20A2	10122-68	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 1/4" NPTF Female Inlet & Cylinder, 3/8" NPTF Female Exhaust, 125 Max PSI, 1.57 Inlet Cv, 2.33 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EV25A2	10122-70	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 3/8" NPTF Female Inlet & Cylinder & Exhaust, 125 Max PSI, 2.50 Inlet Cv, 2.98 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EV30A2	10122-61	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 1/2" NPTF Female Inlet & Cylinder, 3/4" NPTF Female Exhaust, 125 Max PSI, 3.48 Inlet Cv, 5.45 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
EV35A2	10122-63	Pneu-Trol Quick Exhaust Valve, Die Cast Aluminum, 3/4" NPTF Female Inlet & Cylinder & Exhaust, 125 Max PSI, 5.32 Inlet Cv, 7.84 Exhaust Cv	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
F10BK	10000-07	Pneu-Trol Flow Control Valve w/Knob, Brass, 1/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
F10SK	10000-26	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
F10SSK	10000-38	Pneu-Trol Flow Control Valve w/Knob, 303 Stainless Steel, 1/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
F20BK	10000-10	Pneu-Trol Flow Control Valve w/Knob, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
F20SK	10000-27	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
F20SSK	10000-40	Pneu-Trol Flow Control Valve w/Knob, 303 Stainless Steel, 1/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
F25BK	10000-13	Pneu-Trol Flow Control Valve w/Knob, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
F25SK	10000-29	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
F25SSK	10000-41	Pneu-Trol Flow Control Valve w/Knob, 303 Stainless Steel, 3/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
F30BK	10000-15	Pneu-Trol Flow Control Valve w/Knob, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
F30SK	10000-30	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
F30SS316K	10171-58	Pneu-Trol Flow Control Valve w/Handle, 316 Stainless Steel, 1/2" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
F35BK	10000-17	Pneu-Trol Flow Control Valve w/Knob, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
F35SK	10000-31	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 3/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
FB10BK	10126-00	Pneu-Trol Flow Control Valve w/Knob, Brass, 1/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
FB10SK	10126-01	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
FB20BK	10126-02	Pneu-Trol Flow Control Valve w/Knob, Brass, 1/4" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
FB20SK	10126-03	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
FB25BK	10126-04	Pneu-Trol Flow Control Valve w/Knob, Brass, 3/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
FB25SK	10126-05	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 3/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
FB30SK	10126-06	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 1/2" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
FB35SK	10126-07	Pneu-Trol Flow Control Valve w/Knob, Carbon Steel, 3/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (253 - 24/26 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
N10BK	10000-82	Pneu-Trol Needle Valve w/Knob, Brass, 1/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
N10SK	10000-99	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
N10SSK	10001-12	Pneu-Trol Needle Valve w/Knob, 303 Stainless Steel, 1/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
N20BK	10000-85	Pneu-Trol Needle Valve w/Knob, Brass, 1/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
N20SK	10001-00	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/4" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
N20SSK	10001-13	Pneu-Trol Needle Valve w/Knob, 303 Stainless Steel, 1/4" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
N25BK	10000-88	Pneu-Trol Needle Valve w/Knob, Brass, 3/8" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
N25SK	10001-02	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 3/8" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
N25SSK	10001-16	Pneu-Trol Needle Valve w/Knob, 303 Stainless Steel, 3/8" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
N30BK	10000-89	Pneu-Trol Needle Valve w/Knob, Brass, 1/2" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
N30SK	10001-04	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/2" NPTF Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
N30SSK	10001-17	Pneu-Trol Needle Valve w/Knob, 303 Stainless Steel, 1/2" NPTF Female, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
N35BK	10000-90	Pneu-Trol Needle Valve w/Knob, Brass, 3/4" NPTF Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
NB10BK	10126-08	Pneu-Trol Needle Valve w/Knob, Brass, 1/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
NB10SK	10126-09	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
NB20BK	10126-10	Pneu-Trol Needle Valve w/Knob, Brass, 1/4" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
NB20SK	10126-11	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/4" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
NB25BK	10126-12	Pneu-Trol Needle Valve w/Knob, Brass, 3/8" BSPT Female, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
NB25SK	10126-13	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 3/8" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
NB30SK	10126-14	Pneu-Trol Needle Valve w/Knob, Carbon Steel, 1/2" BSPT Female, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
AB20S	10004-52	Pneu-Trol Air Bleed Valve, Carbon Steel, 1/4" NPTF Female, 5,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EPC521	10119-00	Easy Read Flow Regulator Valve Carbon Steel, 1/4" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EPC531	10119-01	Easy Read Flow Regulator Valve, Carbon Steel, 3/8" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EPC541	10119-02	Easy Read Flow Regulator Valve, Carbon Steel, 1/2" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
EPC561	10119-03	Easy Read Flow Regulator Valve, Carbon Steel, 3/4" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
GI21S	10006-94	Pneu-Trol Gauge Isolator Valve, Carbon Steel, 1/4" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
GS20S	10004-51	Pneu-Trol Gauge-Strubber Valve, Carbon Steel, 1/4" NPTF Male to Female, 5,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC3-2-___	10005-48	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/4" NPT Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC4-21-___	10126-76	Pneu-Trol Flow Regulator Valve, Aluminum, 1/4" NPT Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC4-31-___	10142-40	Pneu-Trol Flow Regulator Valve, Aluminum, 3/8" NPT Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC4-41-___	10156-01	Pneu-Trol Flow Regulator Valve, Carbon Steel, 3/8" NPT Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC52	10005-26	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/4" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC53	10005-27	Pneu-Trol Flow Regulator Valve, Carbon Steel, 3/8" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PC54	10005-29	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/2" NPTF Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCB5-2	10127-70	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/4" BSP Taper Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCB5-3	10127-71	Pneu-Trol Flow Regulator Valve, Carbon Steel, 3/8" BSP Taper Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCB5-4	10127-72	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/2" BSP Taper Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM44-21-___	10142-04	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/4" SAE 4 Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM63-2-___	10141-30	Pneu-Trol Flow Regulator Valve, Carbon Steel, 1/4" SAE 6 Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM64-31-___	10142-66	Pneu-Trol Flow Regulator Valve, Carbon Steel, 3/8" SAE 6 Female, 3,000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM65-2	10230-90	Pneu-trol Pressure Compensated Adjustable Flow Control Valve, Carbon Steel, SAE-6, 1/4"	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM84-41-___	10156-71	Pneu-Trol Pressure Compensated Fixed Flow Control Valve, SAE-8, 1/2" Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM85-3	10124-50	Pneu-Trol Pressure Compensated Adjustable Flow Control Valve, SAE-8, 3/8" Female, Carbon Steel, Knurled Knob, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (253 - 2/4/26 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
PCM85-4	10118-75	Pneu-Trol Pressure Compensated Adjustable Flow Control Valve, SAE-8, 1/2" Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PCM88-N-____	10166-81	Pneu-Trol Pressure Compensated Fixed Flow Control Valve, SAE-8, Male-Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PIC20S	10007-09	Pneu-Trol Pilot Operated Check Valve, 1/4" NPTF, Female-Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PIDC25S	10007-10	Pneu-Trol Pilot Operated Check Valve, 3/8" NPTF, Female-Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
PIDC30S	10007-12	Pneu-Trol Pilot Operated Check Valve, 1/2" NPTF, Female-Female, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
POV32S	10006-92	Pneu-Trol, Directional 2 Way 2 Position, Normally Closed Plunger Operated Valve, Carbon Steel, 3000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S101S1	10008-00	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 1/8" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S201S1	10008-05	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S202S1	10008-29	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S250S1	10008-61	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S301S1	10008-10	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 3/8" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S302S1	10008-38	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S350S1	10008-73	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 3/8" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S401S1	10008-15	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 1/2" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S402S1	10008-45	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 3/8" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S450S1	10008-83	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 1/2" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S602S1	10009-13	Pneu-Trol, Needle Valve, Adjustable, Standard, Male-To-Female, 1/2" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S650S1	10008-93	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 3/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
S850S1	10008-98	Pneu-Trol, Needle Valve, Adjustable, Standard, Female-To-Female, 1" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SFP10SSB	10002-93	Pneu-Trol, Flow Control Valve, Female-To-Female, 1/8" NPTF Thread, Stainless Steel, 1000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
SFP20SSB	10002-94	Pneu-Trol, Flow Control Valve, Female-To-Female, 1/4" NPTF Thread, Stainless Steel, 5000 Max PSI	No		Yes	Compliant	RoHS 3 (2015/863/EU) compliant		No
SL10	10003-39	Pneu-Trol, Slide Valve, Manually Operated, Male-To-Female, 1/8" NPTF Thread, Carbon Steel, 250 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SL20	10003-40	Pneu-Trol, Slide Valve, Manually Operated, Male-To-Female, 1/4" NPTF Thread, Carbon Steel, 250 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SL25	10003-42	Pneu-Trol, Slide Valve, Manually Operated, Male-To-Female, 3/8" NPTF Thread, Carbon Steel, 250 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SL30	10003-43	Pneu-Trol, Slide Valve, Manually Operated, Male-To-Female, 1/2" NPTF Thread, Carbon Steel, 250 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SM202S1	10007-59	Pneu-Trol, Globe Needle Valve, Adjustable, Fine Metering, Female-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SM250S1	10007-82	Pneu-Trol, Globe Needle Valve, Adjustable, Fine Metering, Female-To-Female, 1/4" NPTF Thread, Carbon Steel, 10000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SV10B	10003-31	Pneu-Trol, Needle Valve, Adjustable, Fine Metering, Female-To-Female, 1/4" NPTF Thread, Brass, 200 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SV20B	10003-33	Pneu-Trol, Needle Valve, Adjustable, Fine Metering, Female-To-Female, 1/4" NPTF Thread, Brass, 200 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SVHM620S	10302-63	Pneu-Trol, Shuttle Valve, Female-To-Female, SAE Thread, Carbon Steel, 5000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
SVM420S	10174-17	Pneu-Trol, Shuttle Valve, Female-To-Female, SAE Thread, Carbon Steel,	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
TV20B	10003-75	Pneu-Trol, Directional Valve, Push or Pull, Female-To-Female, 1/4" NPTF Thread, Brass, 2000 Max PSI	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No

The Prop 65, REACH, and RoHS Information provided below is current as of:

9/10/2024

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (241 - 8/30/24 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
COIL 080 12VDC 16W D1DE	10244-28	Replacement Coil for Solenoid Operated Valve, Size 8 (080), 12v DC, Double Lead Wire	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
COIL 080 24VDC 16W D2DE	10257-41	Replacement Coil for Solenoid Operated Valve, Size 8 (080), 24v DC, Double Lead Wire	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
COIL 100 12VDC 22W D1D	10162-76	Replacement Coil for Solenoid Operated Valve, Size 10 (100), 24v DC, Double Lead Wire	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(c)- Lead as an alloying element in copper	No
DCV-080-B-N-10	10265-66	Ball-Type Check Valve, Direct-Acting, 080-2 Trade Size, 10 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-080-B-N-2	10129-82	Ball-Type Check Valve, Direct-Acting, 080-2 Trade Size, 2 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-080-B-N-25	10265-67	Ball-Type Check Valve, Direct-Acting, 080-2 Trade Size, 25 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-080-B-N-5	10265-65	Ball-Type Check Valve, Direct-Acting, 080-2 Trade Size, 5 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-10	10179-36	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 10 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-100	10179-39	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 100 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-15	10185-15	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 15 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-30	10179-37	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 30 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-5	10179-35	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 5 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DCV-100-B-N-60	10179-38	Ball-Type Check Valve, Direct-Acting, 100-2 Trade Size, 60 PSI Crack Pressure	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DNV-080-N-K	10199-92	Adjustable Needle Valve, 080-2 Trade Size, 0 To 11 Gpm	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DNV-100-N-K	10139-33	Adjustable Needle Valve, 100-2 Trade Size, 0 To 12 Gpm	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV-100-N-K-20	10137-72	Adjustable Direct-Acting Relief Valve with Knob, 100-2 Trade Size, 300 To 2000 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV-100-N-K-30	10137-73	Adjustable Direct-Acting Relief Valve with Knob, 100-2 Trade Size, 1500 To 3000 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV-100-N-K-4	10136-99	Adjustable Direct-Acting Relief Valve with Knob, 100-2 Trade Size, 100 To 400 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV2-080-N-K-20	10137-78	Adjustable Direct-Acting Relief Valve with Knob, 080-2 Trade Size, 300 To 2000 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV2-080-N-K-30	10137-79	Adjustable Direct-Acting Relief Valve with Knob, 080-2 Trade Size, 1500 To 3000 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DRV2-080-N-K-4	10137-80	Adjustable Direct-Acting Relief Valve with Knob, 080-2 Trade Size, 100 To 400 PSI Spring Range	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34C-N -D1DE	10304-26	Spool-Type Solenoid Valve, Four-Way, Three-Position, Closed Center, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34C-N -D2DE	10304-27	Spool-Type Solenoid Valve, Four-Way, Three-Position, Closed Center, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34M-N -D1DE	10304-28	Spool-Type Solenoid Valve, Four-Way, Three-Position, Motor Center, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34M-N -D2DE	10304-29	Spool-Type Solenoid Valve, Four-Way, Three-Position, Motor Center, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34O-N -D1DE	10304-30	Spool-Type Solenoid Valve, Four-Way, Three-Position, Open Center, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34O-N -D2DE	10304-31	Spool-Type Solenoid Valve, Four-Way, Three-Position, Open Center, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34T-N -D1DE	10304-32	Spool-Type Solenoid Valve, Four-Way, Three-Position, Tandem Center, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-080-34T-N -D2DE	10304-33	Spool-Type Solenoid Valve, Four-Way, Three-Position, Tandem Center, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-100-34C-N -D1D	10311-13	Spool-Type Solenoid Valve, Four-Way, Three-Position, Closed Center, 100-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-100-34M-N -D1D	10304-37	Spool-Type Solenoid Valve, Four-Way, Three-Position, Motor Center, 100-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-100-34O-N -D1D	10304-38	Spool-Type Solenoid Valve, Four-Way, Three-Position, Open Center, 100-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV-100-34T-N -D1D	10282-81	Spool-Type Solenoid Valve, Four-Way, Three-Position, Tandem Center, 100-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-2NCS-N-D1DE	10304-14	Bi-Directional Solenoid Valve, Two-Way, Two-Position, Normally-Closed, 080-2 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-2NCS-N-D2DE	10303-87	Bi-Directional Solenoid Valve, Two-Way, Two-Position, Normally-Closed, 080-2 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-2NOS-N-D1DE	10304-15	Spool-Type Solenoid Valve, Two-Way, Two-Position, Normally-Open, 080-2 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-2NOS-N-D2DE	10304-16	Spool-Type Solenoid Valve, Two-Way, Two-Position, Normally-Open, 080-2 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-3B-N -D1DE	10304-17	Spool-Type Solenoid Valve, Three-Way, Two-Position, 080-3 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-3B-N -D2DE	10304-18	Spool-Type Solenoid Valve, Three-Way, Two-Position, 080-3 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-4CO-N -D1DE	10296-81	Spool-Type Solenoid Valve, Four-Way, Two-Position, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No

Part Information			Prop 65			REACH Compliance	RoHS Compliance		Does compliance status change on a PO basis? (Yes/No)
Part Number	EDP Number	Part Description	Does this product require a Prop 65 warning? (Yes or No)	Please provide the Prop 65 CAS number(s) and chemical(s) to which a consumer may be exposed.	Does the product include an on product label compliant with the Prop 65 rules?	REACH Status (241 - 8/30/24 Compliant, Not Compliant)	RoHS Status (RoHS 3 Compliant, Not Compliant, Compliant by Exemption)	If RoHS 3 Compliant by exemption, which exemption applies?	If yes, please specify for which regulation(s).
DSV2-080-4CO-N -D2DE	10304-19	Spool-Type Solenoid Valve, Four-Way, Two-Position, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-4NC-N -D1DE	10304-20	Spool-Type Solenoid Valve, Four-Way, Two-Position, Normally-Closed, 080-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-4NC-N -D2DE	10304-21	Spool-Type Solenoid Valve, Four-Way, Two-Position, Normally-Closed, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-080-4TC-N -D2DE	10304-25	Spool-Type Solenoid Valve, Four-Way, Two-Position, Tandem Center, 080-4 Trade Size, 24v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-100-2NCS-N-D1D	10264-24	Bi-Directional Solenoid Valve, Two-Way, Two-Position, Normally-Closed, 100-2 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-100-2NOS-N-D1D	10282-75	Spool-Type Solenoid Valve, Two-Way, Two-Position, Normally-Open, 100-2 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-100-3B-N-D1D	10304-34	Spool-Type Solenoid Valve, Three-Way, Two-Position, 100-3 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DSV2-100-4CO-N-D1D	10169-62	Spool-Type Solenoid Valve, Four-Way, Two-Position, 100-4 Trade Size, 12v DC, Double-Wire Leads	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DTV-080-N	10133-81	Toggle-Operated Valve, Two-Way, Two-Position, Normally Closed, 080-2 Trade Size, Can Detent Open	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No
DTV2-080-N	10179-07	Toggle-Operated Valve, Two-Way, Two-Position, Normally Closed, 080-2 Trade Size, Can't Detent Open	Yes	7439-92-1, lead and lead compounds	Yes	Not Compliant	RoHS 3 (2015/863/EU) compliant by exemption	6(a)- Lead as an alloying element in steel	No